




DECORAMIC
Tile Centre

www.decoramic.co.uk Tiles With Style
01634 710083 info@decoramic.co.uk

The
Winchester
Tile
Company®

Artisan collection



The
Winchester
Tile
Company®



DECORAMIC
Tile Centre

www.decoramic.co.uk Tiles With Style
01634 710083 info@decoramic.co.uk




Borders



Field Tiles



The Winchester Tile Company®



Decoratives


Artisan collection

Hand-crafted tiles

Inspired by nature, and hand-crafted by our skilled artisans, this beautiful range of wall tiles has a timeless appeal and will look beautiful in all settings, modern and traditional alike. The soft colours, named after the sleepy villages and historic market towns of England's Suffolk, gently wash over the tiles and mouldings. Tilt one of the tiles in the light and you'll see the subtle undulations in the surface and less than straight edges – evidence that each piece from the Artisan collection is a small and unique masterpiece.

Enhance your home – hallway, bathroom, cloakroom – with the mellow tones, clever detailing and softly reflective surfaces that are the essence of the Artisan collection.

Front Cover: Decorative mouldings and field tiles, all with a Helmingham glaze. Opposite, clockwise from top left: 'Fettling', or trimming, excess clay left after tiles have been shaped in moulds; Decorative 'bisques' after first firing, ready for glazing; Mouldings drying waiting for the first firing; 'Greenware' (clay that has not yet been fired).




Hand-crafted but with a light touch – field tiles, decorative borders and insets evolve from the process of refining raw clay, pouring and pressing, moulding and shaping.



Every piece is carefully inspected, skilfully finished by hand, and left to dry. They are made ready for their first kiln-firing, then glazed and fired again.

Colours of Suffolk: wide skies and landscapes, shingle beaches and undulating meadows




Helmingham W.CLHE0606



Hadleigh W.CLHA0606



Melford W.CLME0606



Helmingham W.CLHE0603



Hadleigh W.CLHA0603



Melford W.CLME0603



Somerleyton W.CLSM0606



Sudbury W.CLISU0606



Lavenham W.CLIA0606



Somerleyton W.CLSM0603



Sudbury W.CLISU0603



Lavenham W.CLIA0603



Orford W.CLOR0606



Ickworth W.CLIK0606



Aldeburgh W.CLAI0606



Orford W.CLOR0603



Ickworth W.CLIK0603



Aldeburgh W.CLAI0603

Field tiles - 150mm x 150mm (6" x 6")
Half tiles - 150mm x 75mm (6" x 3")

Create your own individual style with these field tiles, and beautiful borders and insets. They are all available in nine subtle and soft shades, which are evocative of the natural landscapes of rural Suffolk.

Top right: Field tiles, half tiles and Baroque mouldings with Sudbury glaze, Kensington with Hadleigh glaze.
Bottom right: Field tiles, Hampstead, Buckingham, Beaulieu and Kensington, all with Lavenham glaze. Please note some of the field tiles have been cut to include the Hampstead inset.
Bottom left: Half tiles with Melford glaze, and field tiles, Bundled Reed and Baroque mouldings with Somerleyton.



Although some of the decorative mouldings are based on classic designs, they all have a contemporary feel. Study them closely and see how the translucent glazes collect and intensify into deeper tones and shades.

Top right: Buckingham and Bundled Reed in Hadleigh.
 Bottom right: Knightsbridge in Ickworth, field tiles (corners cut), in Hadleigh.
 Bottom left: Richmond in Ickworth, field tiles in Ickworth and Helmingham.



Intricate, subtle, harmonious – the perfect finishing touch to your design



Chelsea W.CCLA1007 150mm x 13mm (6" x 1/2") with a Lavenham glaze



Empire W.CCLA1010 150mm x 15mm (6" x 5/8") with a Lavenham glaze



Beaulieu W.CCLA1011 150mm x 23mm (6" x 9/16") with a Lavenham glaze



Bundled Reed W.CCLA1001 150mm x 27mm (6" x 1 1/16") with a Lavenham glaze



Kensington W.CCLA1009 150mm x 40mm (6" x 1 1/16") with a Lavenham glaze



Fleur-de-lis W.CCLA1003 150mm x 40mm (6" x 1 1/16") with a Lavenham glaze



Richmond W.CCLA1002 150mm x 40mm (6" x 1 1/16") with a Lavenham glaze



Buckingham W.CCLA1006 150mm x 75mm (6" x 3") with a Lavenham glaze



Baroque W.CCLA1012 150mm x 65mm (6" x 2 1/2") with a Lavenham glaze



Knightsbridge W.CCLA1005 32mm x 32mm (1 1/4" x 1 1/4") with a Lavenham glaze



Hampstead W.CCLA1004 75mm x 75mm (3" x 3") with a Lavenham glaze

The decorative tiles and mouldings featured above are with a Lavenham glaze. They are also available in all of the coloured glazes shown on page 4.


Mix and match, blend or contrast,
single colour or a combination?
What an enjoyable dilemma ...



◀ W.CLK1009 Kensington ICKWORTH
W.CLSU6060 Field Tile SUDBURY
W.CLK1007 Chelsea ICKWORTH
W.CLSU1003 Fleur-de-lis SUDBURY
W.CLSU0603 Half Tile SUDBURY



▶ W.CLK1009 Kensington ICKWORTH
W.CLK1003 Fleur-de-lis ICKWORTH
W.CLME0606 Field Tile MELFORD
W.CLK1005 Knightsbridge ICKWORTH
W.CLK1002 Richmond ICKWORTH
W.CLK0603 Half Tile ICKWORTH



◀ W.CLOR0606 Field Tile ORFORD
W.CLOR1001 Bundled Reed ORFORD
W.CLOR1010 Empire ORFORD
W.CLME0606 Field Tile MELFORD
W.CLOR1012 Baroque ORFORD



▶ W.CLME1009 Kensington MELFORD
W.CLSU1012 Baroque SUDBURY
W.CLME1007 Chelsea MELFORD
W.CLSU0603 Half Tile SUDBURY
W.CLSU1003 Fleur-de-lis SUDBURY
W.CLME1001 Bundled Reed MELFORD
W.CLSU0606 Field Tile SUDBURY




◀ W.CLHA1009 Kensington HADLEIGH
W.CLHA1010 Empire HADLEIGH
W.CLHA0606 Field Tile HADLEIGH
W.CLHA1005 Knightsbridge HADLEIGH
W.CLHA1006 Buckingham HADLEIGH
W.CLHA1001 Bundled Reed HADLEIGH



▶ W.CLK1004 Hampstead ICKWORTH
W.CLME0603 Half Tile MELFORD
W.CCLA0606 Field Tile LAVENHAM
(Corners cut)



◀ W.CCLA1009 Kensington LAVENHAM
W.CCLA1011 Beaulieu LAVENHAM
W.CCLA0606 Field Tile LAVENHAM
(Some with corners cut)
W.CCLA1004 Hampstead LAVENHAM
W.CCLA1006 Buckingham LAVENHAM



▶ W.CCLA1009 Kensington LAVENHAM
W.CCLA1007 Chelsea LAVENHAM
W.CLME0606 Field Tile MELFORD
W.CLME1007 Chelsea MELFORD
W.CCLA1011 Beaulieu LAVENHAM

Here are a few examples of how you can combine colours and field tiles, half tiles and decorative borders and insets.

There are so many ways to arrange your tiles, to combine field and half tiles, borders and insets, colours and textures. There's only one rule to follow – do what pleases you most.

Important Information

ENGLISH

Colour Variations

Due to the handmade nature of Artisan tiles the surfaces undulate gently, allowing natural shading to occur. These distinctive yet subtle variations in shade within each tile, moulding and border mean no two pieces are ever identical which gives a wonderful impression of depth to tiled areas, adding to the beauty and charm of our handmade tiles.

Before fixing tiles it is important to lay them out in good light to ensure that any shade difference is evenly distributed.

Dimensions

All dimensions shown throughout the brochure are nominal due to the hand made nature of the tiles; actual dimensions for individual tiles may vary from these figures.

Installation

For full installation instructions, including grouting and adhesive recommendations, please refer to the Winchester Fixing Guide available from your Winchester stockist.

It will be necessary to cut the corners from field tiles if you want to insert Hampstead and/or Knightsbridge insets into your layout. Please refer to the Winchester Fixing Guide for advice on cutting tiles.

In the USA please follow the recommendations of a reputable adhesive manufacturer and always comply with the American National Institution (ANSI) specifications as set out in the Handbook for Ceramic Tile Installation published by the Tile Council of America.

How Many Tiles Will You Need?

Once you have decided on your tiles, calculate how many you will need by measuring the area to be tiled.

Nominal Tile Size*	Tiles per square metre	Tiles per square foot
150 x 150 (6" x 6")	44	4
150 x 75 (6" x 3")	88	8

Nominal Tile Border Length*	Tiles per linear metre	Tiles per linear foot
150 (6")	6.65	2

* All above dimensions are subject to a tolerance of $\pm 2.5\text{mm}$ or $1/16"$

Special Care

Wash down tiled surfaces with either clean water or a neutral (i.e. not acidic or alkaline) detergent. Dry off and polish with a dry duster.

Please note, the use of certain acid based cleaning products may cause some of the tiles to react and change in character.

Tiles used on work surfaces will show signs of wear and surface scratching. Artisan Tiles are not suitable for floors, exterior use or work surfaces.

Photography

Owing to variations in studio lighting and printing inks, the tile colours shown in this brochure may differ slightly from those of the actual tiles. Before making your choice it is always advisable to ask your Winchester supplier to show you samples.

Limits of Liability

The Winchester Tile Company accepts no liability for the faulty installation of its tiles. In the case of any claim relating to the tiles themselves, Winchester Tile's liability, to the extent permitted by law, is limited to either the replacement of the product or a refund of the cost of the product, and does not extend to cover any consequential loss. Tiles must be inspected prior to installation and claims cannot be considered after the tiles have been installed.

Please be advised that installation constitutes acceptance of the quality, colour, texture and shade of tiles.

The Winchester Tile Company warrants that its tiles conform to their description and are fit for their purpose.

The Winchester Tile Company makes no other express or implied warranty as to fitness or suitability of the products for particular installations. We extend no guarantees, express or implied, as to wear resistance or maintenance procedures.

Credits

Original Style gratefully acknowledges the assistance of the following companies with the photographic settings:

Bathroom Accessories, Taps & Showers
Samuel Heath – 0121 766 4200 – www.samuel-heath.co.uk

Bathroom & Kitchen Accessories
The Orange Tree – 01392 876688 – www.theorangetree.co.uk

FRANCAIS

Variations de couleur

Les carreaux Artisan étant de fabrication artisanale, les surfaces peuvent présenter des irrégularités entraînant des variations de couleur naturelles. Ces différences de tonalités distinctives mais subtiles d'un carreau, d'une moultre et d'une bordure à l'autre peuvent permettre d'obtenir un splendide effet de profondeur, renforçant la beauté et le charme de nos carreaux artisanaux.

Avant de coller les carreaux, il est important de faire un essai préalable dans de bonnes conditions d'éclairage afin d'assurer la bonne distribution des variations de nuance.

Dimensions

Les carreaux étant de confection artisanales, les dimensions nominales dans la brochure sont uniquement données à titre indicatif. Les dimensions des carreaux peuvent être différentes des chiffres indiqués.

Installation

Le guide d'installation Winchester, disponible auprès de votre revendeur, comporte toutes les instructions d'installation, y compris les recommandations relatives au choix du ciment-joint et de la colle.

Si vous souhaitez insérer des médaillons Hampstead et/ou Knightsbridge dans votre composition, vous devez couper les coins des carreaux unis. Pour la découpe des carreaux, veuillez vous reporter au guide d'installation Winchester.

De combien de carreaux avez-vous besoin?

Une fois que vous avez choisi le type de carreau, vous devez calculer le nombre de carreaux nécessaires en mesurant la surface à carrelé.

Taille nominale du carreau*	Carreaux par mètre carré	Carreaux par pied carré
150 x 150 (6" x 6")	44	4
150 x 75 (6" x 3")	88	8

Longueur nominale de la bordure*	Bordures par mètre linéaire	Bordures par pied linéaire
150 (6")	6.65	2

*Toutes les dimensions précédentes sont sujettes à une tolérance de ± 2.5 mm.

Spécificités d'entretien

Rincez les surfaces carrelées à l'eau propre ou avec un détergent neutre (ni acide, ni alcalin). Séchez et frottez avec un chiffon non pelucheux.

Nous attirons votre attention sur le fait que certains produits détergents à base d'acide peuvent provoquer une réaction des carreaux altérant leur caractère.

Si vous utilisez vos carreaux sur un plan de travail, ils s'useront plus rapidement et leur surface aura tendance à se rayer. Les carreaux Artisan ne sont pas recommandés pour une utilisation extérieure, en sol ou en plan de travail.

Photographies

L'éclairage en studio et les encres utilisées pour l'impression peuvent affecter les couleurs des carreaux présentés dans cette brochure. Avant de passer commande, il est toujours préférable de vous procurer des échantillons auprès d'un revendeur Winchester.

Limites de responsabilité

Winchester Tile Company dégage toute responsabilité en cas d'installation incorrecte de ses carrelages. En cas de réclamation relative aux carreaux en eux-mêmes, la responsabilité de Winchester Tile se borne, dans la limite autorisée par la loi, au remplacement du produit ou au remboursement du prix du produit, et ne couvre pas les dommages indirects. Les carreaux doivent être contrôlés avant installation. Aucune réclamation ne sera prise en compte une fois les carreaux installés.

Nous attirons votre attention sur le fait que l'installation du carrelage constitue l'acceptation de la qualité, de la couleur, de la texture et de la teinte des carreaux.

Winchester Tile Company garantit que ses carreaux sont conformes au descriptif fourni et qu'ils sont adaptés à l'usage pour lequel ils sont prévus.

Winchester Tile Company ne formule aucune autre garantie expresse ou implicite supplémentaire vis-à-vis de l'adéquation ou de compatibilité de ses produits dans des installations spécifiques. Nous ne formulons aucune garantie, expresse ou implicite, vis-à-vis de la résistance à l'usure ou des procédures d'entretien.

DEUTSCH

Farbvariationen

Da die Fliesen von Winchester in Handarbeit gefertigt wurden, ist die Oberfläche leicht gewellt und die natürliche Schattierung dadurch zu sehen. Durch diese deutlichen aber feinen Abstufungen in der Schattierung bei Fliesen, Zierkanten und Bordüren gleicht keine Fliese einer anderen. Den verfliesten Bereichen wird somit eine wunderschöne Raumwirkung verliehen und unsere handgefertigten Fliesen kommen in ihrer Schönheit und Anmut richtig zur Geltung. Bei der Hintergrundfarbe auf den Dekorfliesen und deren passenden Feldern können durch die Fertigung von Hand ebenfalls feine Abstufungen bei den Schattierungen auftreten.

Sie sollten die Fliesen vor dem Anbringen bei günstigem Licht schon einmal zur Probe anlegen um so für eine gleichmäßige Verteilung der Schattierungen zu sorgen.

Abmessungen

Da die Fliesen in Handarbeit gefertigt wurden, sind alle Abmessungen in der Broschüre in Normwerten angegeben; die tatsächlichen Abmessungen einzelner Fliesen können von diesen Zahlen abweichen.

Installation

Für eine ausführliche Installationsanweisung, einschließlich der empfohlenen Fugenmasse und Klebmaterialien konsultieren Sie bitte die Anweisung zum

Fliesenanbringen von Winchester, die bei einem entsprechenden Fachhändler erhältlich ist.

Falls Sie Hampstead - bzw. Knightsbridge-Einlagen in Ihr Muster mit einlegen wollen, müssen Sie die Ecken der Grundfliesen abschneiden. Hinweise über das Schneiden von Fliesen entnehmen Sie bitte der Befestigungsanleitung von Winchester.

Wie viele Fliesen werden benötigt?

Sobald Sie sich für eine Fliesenart entschieden haben, messen Sie die Fläche aus, die gefliest werden soll und rechnen Sie danach aus, wie viele Fliesen Sie für diese Fläche benötigen.

Genormte Fliesengröße*	Fliesen pro Quadratmeter	Fliesen pro Quadratfuß
150 x 150 (6" x 6")	44	4
150 x 75 (6" x 3")	88	8

Genormte Länge der Bordüre*	Bordüre pro Meter	Bordüre pro Fuß
150 (6")	6.65	2

* Alle oben genannten Abmessungen können Abweichungen von $\pm 2.5\text{mm}$ aufweisen.

Worauf besonders zu achten ist

Waschen Sie die Oberfläche der Fliesen entweder mit klarem Wasser oder einem ph-neutralen Reinigungsmittel ab. Dann mit einem trockenen Tuch abwischen und polieren.

Fliesen, die auf Arbeitsflächen verwendet werden, weisen Spuren durch Abnutzung und Oberflächenkratzer auf. Fliesen von Artisan eignen sich weder für Böden, noch für die Außenanwendung noch für die Arbeitsplatten.

Fotographie

Aufgrund variierender Beleuchtungsverhältnisse im Studio oder bei Druckfarben, können die in der Broschüre zu sehenden Farben geringfügig von der tatsächlichen Farbgebung abweichen. Bevor Sie Ihre Auswahl treffen, sollten Sie immer zuvor einen Fachhändler für Fliesen von Winchester nach Mustern fragen.

Haftungsbeschränkung

Die Fliesenfirma Winchester Tile Company übernimmt für die fehlerhafte Installation ihrer Fliesen keine Haftung. Sollte es Reklamationen bezüglich der Fliesen selbst geben, dann beschränkt sich die gesetzlich eingeräumte Haftung von Winchester Tile lediglich auf den Artikeltausch oder Kostenrückerstattung. Weitere Schäden werden nicht abgedeckt. Vor der Installation sind die Fliesen zu prüfen. Nachträgliche Reklamationen können nicht berücksichtigt werden.

Bitte beachten Sie, dass Sie durch die Installation anzeigen, dass hinsichtlich Qualität, Farbgebung, Textur oder Schattierung keine Beanstandungen vorliegen.

Die Winchester Tile Company gewährleistet die beschreibungs- und zweckgemäße Fabrikationsausführung der Fliesen.

Die Winchester Tile Company gibt keine weiteren ausdrücklichen oder impliziten Garantien hinsichtlich Eignung der Artikel für besondere Installationsarten. Wir geben weder ausdrücklich noch implizit eine Garantieverlängerung auf Abnutzungsverhalten oder Wartungsarbeiten.

Beachten Sie bitte, dass die Fliesen gegenüber Reinigungsmittel auf Säurebasis reagieren und ihr Aussehen verändern können.